

PATIENT ORDER FORM Catheter Order Form

PATIENT SECTION								
Patient Name:				Start Date:				
Gender:				Date of Birth:				
Primary E-mail:				Mobile Number:				
Chinning Address.				Home Number:				
Shipping Address:				Work Number:				
PHYSICIAN SECTION								
Step 1: Diagnosis Code (required):								
□ R33.9 Retention of Urine □ R32 Urinary Incontinence □ Other:								
HCPCS		Frequency / Quantity						
☐ A4351 Straight Catheter		☐ 1 per day / 30 per month / 90 per 3 months						
☐ A4332 Packets of Lube			☐ 2 per day / 60 per month / 180 per 3 months					
		☐ 3 per day / 90 per month / 270 per 3 months						
☐ A4352 Coude Catheter		☐ 4 per day / 120 per month / 360 per 3 months						
☐ A4332 Packets of Lube		☐ 5 per day / 150 per month / 450 per 3 months						
		☐ 6 per day / 180 per month / 540 per 3 months						
☐ A4353 Closed Kit			☐ 7 per day / 210 per month / 630 per 3 months					
		□ 8 per day / 240 per month / 720 per 3 months						
			□ per day / per month / per 3 months					
□ A4402 Tube of Lubricant □ 4 o			4 oz per month / 12 oz per 3 months					
Authorizing 99 refills. If otherwise, please specify: (Cannot be PRN.)								
The above information is true, accurate, and complete to the best of my knowledge. I confirm that the patient is/was treated by me, and is able to use the supplies prescribed. I verify that the patient's medical condition requires the supplies prescribed and that the usage quantities are medically necessary. I will maintain a copy of this order in the patient's file.								
Physician:			NPI #:	Phone Number:				
Office Address:		Fax Number:						
PRESCRIBER SIGNATURE				DATE				

NO STAMP ON SIGNATURE LINE



Diagnosis Codes							
ICD-9 Code	ICD-10 Code	Diagnosis Description	ICD-9 Code	ICD-10 Code	Diagnosis Description		
340	G35	Multiple sclerosis	788.33	N39.46	Mixed incontinence (urge & stress), female & male		
344.0	G82.5	Quadriplegia	788.34	N39.42	Incontinence without sensory awareness		
344.1	G82.2	Paraplegia	788.35	N39.43	Post-void dribbling		
344.6	G83.4	Cauda equina syndrome	788.36	N39.44	Nocturnal enuresis		
344.61	G83.4	Cauda equina syndrome with neurogenic bladder	788.37	N39.45	Continuous leakage		
564.81	K59.2	Neurogenic bowel	788.38	N39.490	Overflow incontinence		
595.1	N30.1	Chronic interstitial cystitis	788.39	N39.498	Other urinary incontinence		
596.0	N32.0	Bladder neck obstruction	788.41	R35.0	Urinary frequency		
596.4	N31.2	Atony of bladder	788.43	R35.1	Nocturia		
596.54	N31.9	Neurogenic bladder	788.62	R39.12	Slowing of urinary stream		
598	N35	Urethral stricture	788.63	R39.15	Urgency of urination		
599.0	N39.0	Urinary tract infection	625.6 788.32	N39.3	Stress incontinence, male and female		
599.60	N13.9	Urinary obstruction, unspecified	V44.2	Z93.2	Ileostomy status		
600.0	N40	Hypertrophy (benign) of prostate	V44.3	Z93.3	Colostomy status		
741	Q05	Spina bifida	V44.52	Z93.52	Appendicovesicostomy (Mitrofanoff)		
741.0	Q05.4	Spina bifida with hydrocephalus	V44.6	Z93.6	Other artificial opening of urinary tract status		
741.90	Q05.8	Spina bifida without hydrocephalus	V55.2	Z43.2	Attention to ileostomy		
753.5	Q64.1	Exstrophy of urinary bladder	V55.3	Z43.3	Attention to colostomy		
753.6	Q64.3	Atresia and stenosis of urethra and bladder neck	V55.6	Z43.6	Attention to other artificial opening of urinary tract		
788.1	R30.0	Dysuria	591	N13.30	Hydronephrosis		
788.20	R33.9	Retention of urine, unspecified	596.51	N32.81	Hypertonicity of bladder		
788.21	R39.14	Incomplete bladder emptying	600.01	N40.1	Hypertrophy (benign) of prostate with urinary obstruction		
788.29	R33.8	Other specified retention of urine	600.21	N40.1	Benign localized hyperplasia of prostate with urinary obstruction		
788.30	R32	Urinary incontinence, unspecified	788.69	R39.19	Other abnormality of urination, other		
788.31	N39.41	Urge incontinence	V43.5	Z96.0	Bladder replaced by other means		

Misc Supplies

Foley catheters (A4338, A4344)

· A4334: INDWELLING CATHETER; FOLEY TYPE, TWO-WAY LATEX WITH COATING (TEFLON, SILICONE, SILICONE ELASTOMER, OR HYDROPHILIC, ETC.), EACH (Latex Foley)
· A4344: INDWELLING CATHETER, FOLEY TYPE, TWO-WAY, ALL SILICONE, EACH (Non-Latex, Silicone Foley)

 ${\it Coud\'e Foleys (A4340)} \\ \cdot {\it A4340: INDWELLING CATHETER; SPECIALTY TYPE, EG; COUD\'E, MUSHROOM, WING, ETC.}), EACH$

Silicone Foleys (A4344, A4312, or A4315)

Male Externals (A4349)

Specialty Male Externals (A4326)

Leg Drainage Bags (A4358)

Bedside Drainage Bags (A4357)



Documentation Requirements for Patients

Medicare and Private insurance require that pertinent documentation be documented in the patient's chart/record for billing purposes, and audits.

These requirements include:

History of urological condition to include:

- Permanency: defines permanency as a condition that is expected to last greater than 90 days
- Diagnosis: Urological diagnosis
- Frequency: Frequency the patient is instructed to catheterize
- History: Duration of patient's condition

Closed Kit: If patient requires Closed Kit System Catheter A4353, additional documentation is needed. Patient's chart/record must include the following.

- Patient must use closed kit system 7x daily indefinitely to prevent recurrent UTI.
- Patient needs to use closed system 7x daily for life due to immunosuppression.
- Patient needs closed system 7x daily for life due to spina bifida.
- Patient needs to use closed system 7x daily for life due to cancer / Chemo.

Coude Catheters: If patient requires a coudé catheter A4352, additional documentation is required stating why the patient is unable to pass/use a straight catheter.

- Patient needs to self-cath 7x daily using coude catheters, unable to pass straight due to anatomy.
- Patient must CIC 7x daily using coude indefinitely due to enlarged prostate.

- Patient ISC 7x daily using coude catheters due to obstruction, unable to pass straight catheter.
 Patient CIC 7x daily using coude catheter due to prostate cancer, unable to pass straight catheter.
 Patient CIC 7x daily with coude catheters due to scar tissue, unable to pass straight catheter.

Straight Tip Catheters: If patient requires a Straight Tip Catheter A4351, additional comments / notes must be added or included in the patient's chart/record.

- Patient needs to ISC 7x daily indefinitely using straight tip catheter.
- Patient ISC 7x daily for life using straight tip catheter.
- Patient must ISC 7x daily using straight tip catheter for life.
- Patient will require ISC 7x daily for life using straight tip catheter.

To prevent delays or interruptions in service, one of the above comments must be included in the patient's chart/record for billing and audit purposes.

Reference: the requirements listed above can be referenced by referring to LCD for Urological Supplies (L11566).

PHONE: 888-720-2830 FAX: 888-251-0202